

NIT No. 8A/18-19 Corrigendum of E-Tender Notice on Company Website

SI. No	Tender No.	Description	Qty.	Estimated Cost (Rs.)	EMD/Tender Fee (Rs.)	Sale of Tender Documents	BOD	Tender Download from date/end date/submission date	Remarks
CORRIGENDUM									
1.	1000009198/MM_II	Procurement of CS Gate Valves for PHEs of STG and GT.	As per BOQ	32,59,680	Rs. 65,200/- in favour of PPCL in the form of DD/Pay Order	Sale of Tender Documents or download from https://govtprocurement.delhi.gov.in	Techno-Commercial BOD 15.10.2018 11:30 AM	13.08.2018 05:00 PM 10.10.2018 11.00 AM 10.10.2018 11.00 AM	2018_IPGCL_155688_1
2.	1000009368/MM-II	Procurement of Liquid Chlorine for use at GTPS, PPS_I and PPS_III Bawana.	As per BOQ	23,37,963	Rs. 46,800/- in favour of PPCL in the form of DD/Pay Order	Sale of Tender Documents or download from https://govtprocurement.delhi.gov.in	Techno-Commercial BOD 15.10.2018 11:30 AM	13.08.2018 05:00 PM 10.10.2018 11.00 AM 10.10.2018 11.00 AM	2018_IPGCL_156427_1
<p>Note: No Corrigendum/addendum/modification for tender value up to Rs 50.00 Lacs will be advertised in newspaper and bidders are requested to regularly visit IPGCL-PPCL website as well as Delhi Government E-procurement site for getting themselves updated.</p>									