

**NIT No.05D/21-22 Corrigendum of E-Tender Notice on Company Website****Date: 22.06.2022**

<b>Sl. No.</b>	<b>Tender No.</b>	<b>Description</b>	<b>Qty.</b>	<b>Estimated Cost (Rs.)</b>	<b>EMD/Tender Fee (Rs.)</b>	<b>Sale of Tender Documents</b>	<b>BOD</b>	<b>Tender Download from date/end date/ submission date</b>	<b>Tender ID</b>
<b>1.</b>	<b>100011795/ MM-IV</b>	Procurement of Submersible Sludge Mixer at STPs for PPS-1	As per BOQ	<b>32,00,000</b>	64,000/- in favour of IPGCL in the form of DD/ Pay Order	Sale of Tender Documents or download from <a href="https://govtprocurement.delhi.gov.in">https://govtprocurement.delhi.gov.in</a>	Techno-Commercial BOD 13.07.2022 11:30 AM	05.04.2022 05:00 PM 11.07.2022 11.00AM 11.07.2022 11.00 AM	<b>2022_IPGCL_216250_2</b>
<b>Note: No Corrigendum/addendum/modification for tender value up to Rs 50.00 Lacs will be advertised in newspaper and bidders are requested to regularly visit IPGCL-PPCL website as well as Delhi Government E-procurement site for getting themselves updated.</b>									
<b>Bidders to submit EMD or Exemption certificate in physical form at Tender Box before Bid Submission End Date.</b>									